

Temporal Plots of Field and Laboratory Data for Each Site Sampled in 2011 and 2012

Report 4.2.3

Ashley Stubblefield
Michael Jue
Chelsea Spier
Jeremy Hanlon
Ernest Garcia
William Stringfellow

December, 2013

Ecological Engineering Research Program
School of Engineering & Computer Sciences
University of the Pacific
3601 Pacific Avenue
Chambers Technology Center
Stockton, CA 95211

List of Acronyms

APHA American Public Health Association Ammonia Total ammonium/ammonia nitrogen

BOD Biochemical oxygen demand

BGA Blue-green algae (estimated by phycocyanin

fluorescence)

CBOD Carbonaceous biochemical oxygen demand

Chl-a Chlorophyll-a

DOC Dissolved organic carbon

DO Dissolved oxygen EC Electrical conductivity

EERP Ecological Engineering Research Program

HDPE High density polyethylene

IC Inorganic carbon

Mineral Solids Mineral suspended solids

NBOD Nitrogenous biochemical oxygen demand

NIST National Institute of Standards and Technology

NTU Nephelometric turbidity units

Phosphate Dissolved ortho-phosphate as phosphorus

PTFE Polytetrafluoroethylene

QA Quality assurance QC Quality control

RFU Relative fluorescence Units

SM Standard Methods

soluble nitrate-N Dissolved nitrate plus nitrite as nitrogen

Silica Dissolved silicate as silicon

Sp Cond Specific conductivity

SWAMP State Water Ambient Monitoring Program

SUVA Specific ultraviolet absorbance

TDS Total dissolved solids

Temp Temperature

TOC Total organic carbon
TP Total phosphorus
TSS Total suspended solids
VSS Volatile suspended solids
YSI Yellow Springs Instruments

Introduction

Temporal plots of all water quality data collected in 2011 and 2012 by the Ecological Engineering Research Program (EERP) at the University of the Pacific are included in this appendix. Data plots are grouped first by year sampled. The site locations are shown a map in Figure 0 and are identified by site number. All 2011 plots are shown between figures 1-1,025 and all 2012 plots are shown between figures 1,025-1,856. Within years, each water quality parameter is presented with all sites sampled in numerical order of the site number. Site numbers, names, and locations are listed in Table 1. Water quality parameters included in this report are presented in Table 2, starting with field measurements followed by laboratory measurements. Table 2 includes the figure numbers for each water quality parameter.

Methods

All sample collection, data evaluation, and analysis in the project was collected in accordance with rigorous, Surface Water Ambient Monitoring Program (SWAMP) compatible, quality assurance and quality control (QA/QC) procedures (Borglin, et al. 2008; SWAMP 2008; Spier, et al. 2011).

Field sampling consisted of collecting water samples, measuring water quality with a sonde, and recording field conditions at sites within the study area. The day before sample collection, the YSI 6600 Sonde connected to the YSI 650 MDS handset was calibrated at EERP following procedures in the YSI 6-Series Environmental Monitoring Systems Handbook (Yellow Springs Instrument Co. Inc. 2002). Dissolved Oxygen (DO) and depth were calibrated using the wettowel method. Specific conductance (Sp Cond), measured with a temperature-compensated electrical conductivity probe (EC), was calibrated using a 1408 μS/cm conductivity standard (Radiometer Analytical SAS, Lyon, France). Total dissolved solids (TDS) was calculated based on the EC measurement. Temperature calibration was checked against a National Institute of Standards and Technology (NIST) certified thermometer. The pH probe was calibrated using standards of pH 4, pH 7, and pH 10 (VWR International, West Chester, PA). The fluorescence probe output (for estimating chlorophyll) was recorded in Millipore water or 0 NTU water to account for drift. The turbidity probe was calibrated with three standards of 0 NTU or Millipore water, 40 NTU, and 200 NTU (Hach, Loveland, Colorado).

On the day of sampling the sonde was recalibrated for DO at the first site to correct for ambient barometric pressure. At each sampling location, water quality data was collected for at least 2 minutes. The parameters measured by the sonde at each site included time, temperature (°C), specific conductance (μ S/cm), TDS (mg/L), DO concentration (mg/L), DO charge, depth (ft), pH, turbidity (NTU), chlorophyll and phycocyanin fluorescence, chlorophyll content (μ g/L), blue-green algae (cells/mL), and barometric pressure (mmHg).

Water samples were collected in glass 1000 mL bottles (Wheaton Science Products, Millville, NJ), 1000 mL HDPE Trace-Clean narrow mouth plastic bottles (VWR International), 250 mL HDPE Trace-Clean wide mouth plastic bottles (VWR International), 16x100 mm pretreated chlorine free glass tubes (VWR International), and 40 mL trace clean vials with PTFE septa (IChem, Rockwood, Tennessee) in accordance with requirements for different lab analysis and

volume requirements. All bottles were rinsed with sample water prior to collection of a depth-integrated sample. Samples were immediately stored at 4°C after sampling and transported to the lab on the day of sampling. Sondes were post-calibrated within twenty-four hours of the sampling event.

Samples were received by the laboratory the same day they were sampled, logged in and inspected for damage, and stored at 4°C until filtering and analysis. All filtration and preservation of samples were completed within 24 hours. Samples were collected, preserved, stored, and analyzed by methods outlined in Standard Methods for the Analysis of Water and Wastewater (APHA 2005), unless otherwise indicated. Unfiltered samples were analyzed for biochemical oxygen demand (BOD), carbonaceous BOD (CBOD), and nitrogenous BOD (NBOD) by Standard Method (SM) 5210 B (APHA 2005) with a modification for measurement of oxygen demand at 10 days rather than 5 days. Total organic carbon (TOC), dissolved organic carbon (DOC), and inorganic carbon (IC) were analyzed on a Teledyne-Tekmar Apollo 9000 (Mason, OH) by high temperature combustion according to SM 5310 B. Total suspended solids (TSS), mineral suspended solids (mineral solids) and volatile suspended solids (VSS) were analyzed by SM 2540 D and E. Chlorophyll-a (chl-a) and pheophytin were extracted and analyzed using UV absorption as described in SM 10200 H. Alkalinity was measured on samples within 24 hours of sample collection by SM 2320B. Soluble nitrate plus nitrite as nitrogen (soluble nitrate-N) and total ammonia plus ammonium as nitrogen (ammonia) were quantified using an automated membrane diffusion/conductivity detection method (Carlson 1978; Carlson 1986; Carlson, Cabrera et al. 1990). Total nitrogen was determined by the same method from unfiltered sample following persulfate oxidation (Yu, Northup et al. 1994). Dissolved ortho-phosphate as phosphorus (phosphate) was quantified in filtered samples by the stannous chloride method SM 4500-P.D. Total phosphorus (TP) was determined on unfiltered sample by persulfate digestion (Yu, Northup et al. 1994) and colorimetric determination by the stannous chloride method SM 4500-P.D. Dissolved silicate as silicon (silica) was analyzed by using a modified Heteropoly Blue molybdosilicate method (modified SM 4500-SiO2 D). Chloride was measured according to EPA method 9212 using an ion selective electrode made by Thermo Scientific (Beverly, MA). Specific ultraviolet absorbance (SUVA, L/mg Carbon- m) was calculated according to SM 5910B (APHA 2005; Potter and Wimsatt 2005).

Acknowledgements

We gratefully acknowledge the Ecosystem Restoration Program and its implementing agencies (California Department of Fish and Wildlife, U.S. Fish and Wildlife Service, and the National Marine Fisheries Service) for supporting this project (E0883006, ERP-08D-SO3).

References

- APHA (2005). Standard Methods for the Examination of Water and Wastewater, 20th Edition. Washington, D.C., American Public Health Association.
- Borglin, S., R. Burks, J. Hanlon, C. Spier, J. Graham and W. Stringfellow (2008). Standard Operation Procedures for the Up-Stream Dissolved Oxygen TMDL Project. Ernest

- Orlando Lawrence Berkeley National Laboratory Report No. LBNL/PUB-937. Stockton, CA, Environmental Engineering Research Program.
- Carlson, R. M. (1978). "Automated Separation and Conductimetric Determination of Ammonia and Dissolved Carbon Dioxide." Anal. Chem 50: 1528-1531.
- Carlson, R. M. (1986). "Continuous Flow Reduction of Nitrate to Ammonia With Granular Zinc." Anal. Chem 58: 1590-1591.
- Carlson, R. M., R. I. Cabrera, J. L. Paul, J. Quick and R. Y. Evans (1990). Rapid Direct Determination of Ammonium and Nitrate in Soil and Plant Tissue Extracts. Commun. In Soil Sci. Plant Anal. 21(13-16): 1519-1529.
- Potter, B. and J. C. Wimsatt (2005). Method 415.3. Determination of total organic carbon and specific UV absorbance at 254 nm in source water and drinking water. U.S. EPA.
- Spier, C., Borglin, S., Hanlon, J., Stringfellow, W.T., (2011). Ecological Engineering Research Program Quality Assurance Project Plan San Joaquin River Dissolved Oxygen Total Maximum Daily Load Project. 1-36.
- California Department of Fish and Game Grant No. E0883006.SWAMP (2008). Surface Water Ambient Monitoring Program Quality Assurance Program Plan, Moss Landing, CA, State Water Resources Control Board, DWQ, SWRCB, Moss Landing Marine Laboratories. 2.0.
- Yellow Springs Instrument Co. Inc. (2002). YSI 6-Series Environmental Monitoring Systems Manual. Revision B. Yellow Springs, OH, Yellow Springs Instruments Co., Inc.
- Yu, Z.S., Northup, R.R., Dahlgren, R.A., (1994). Determination of dissolved organic nitrogen using persulfate oxidation and conductimetric quantification of nitrate-nitrogen. Communications in Soil Science and Plant Analysis 25, 3161-3169.

 Table 1: Sites sampled in each study year.

DO site number	Site name	Voors Compled
DO site ilumber	Site frame	Years Sampled
2	SJR at Dos Reis Park	2011 and 2012
4	SJR at Mossdale	2011 and 2012
5	SJR at Vernalis	2011 only
7	SJR at Patterson	2011 and 2012
10	SJR at Lander Ave.	2011 and 2012
11	French Camp Slough	2011 and 2012
12	Stanislaus River at Caswell Park	2011 only
14	Tuolumne River at Shiloh	2011 only
16	Merced River at River Rd.	2011 and 2012
18	Mud Slough near Gustine	2011 and 2012
19	Salt Slough at Lander Ave.	2011 and 2012
21	Orestimba Creek at River Rd.	2011 and 2012
25	Miller Lake at Stanislaus River	2011 only
29	TID Harding Drain	2011 and 2012
34	Ingram Creek	2011 and 2012
36	Del Puerto Creek	2011 only
44	San Luis Drain End	2011 and 2012
57	Ramona Lake	2011 only
127	SJR at Brant Bridge	2011 and 2012
402	Light 18 (Node 96)	2011 and 2012
405	Calaveras River	2011 and 2012
406	RM 35.8 Light 38 DWSC	2011 and 2012
410	Bear Creek at Trinity Bridge	2011 and 2012
413	Smith Canal at Yosemite Lake	2011 and 2012
420	Mosher Slough at Mariners Dr.	2011 and 2012
421	5 Mile Slough at Hazelwood Ave	2011 and 2012
424	14 Mile Slough	2011 and 2012
425	Turner Cut	2011 and 2012
426	Turning Basin at Morelli Park Launch	2011 and 2012
427	RM 39 Near Louis Park	2011 and 2012
428	RM 33.2 Upstream of Acker Isl (Light 28)	2011 and 2012
433	Paradise Marina (Node 70)	2011 and 2012

Table 2: Water quality parameters included in this report

Water quality parameter	2011 figure numbers	2012 figure numbers
Temperature	1-33	1025-1050
Specific Conductance	34-64	1051-1076
Total Dissolved Solids	65-96	1077-1102
Dissolved Oxygen (DO) percentage saturation	97-128	1103-1128
Dissolved Oxygen (DO) concentration	129-160	1129-1154
рН	161-192	1155-1180
Turbidity	193-224	1181-1206
Blue-Green Algae as determined by phycocyanin (cells/mL)	225-256	1207-1232
Blue-Green Algae as determined by phycocyanin (RFU)	257-288	1233-1258
Total Alkalinity	289-320	1259-1284
Phenolphthalein Alkalinity	321-352	1285-1310
Total Organic Carbon	353-384	1311-1336
Dissolved Organic Carbon	385-416	1337-1362
Inorganic Carbon	417-448	1363-1388
Total Suspended Solids	449-480	1389-1414
Mineral Suspended Solids	481-512	1415-1440
Volatile Suspended Solids	513-544	1441-1466
Soluble nitrate-N	545-576	1467-1492
Ammonia-N	577-608	1493-1518
Total Nitrogen	609-640	1519-1544
Dissolved Phosphate-P	641-672	1545-1570
Total Phosphorus	673-704	1571-1596
Biological Oxygen Demand	705-736	1597-1622
Carbonaceous Biochemical Oxygen Demand	737-768	1623-1648
Nitrogenous Biochemical Oxygen Demand	769-800	1649-1674
Chlorophyll-a by Standard Methods	801-832	1675-1700
Chlorophyll-a by Trichromatic Method	833-864	1701-1726
Pheophytin	865-896	1727-1752
Total algal pigments	897-928	1753-1778
Dissolved Silica-Si	929-960	1779-1804
Specific Ultraviolet Absorbance	961-992	1805-1830
Chloride	993-1024	1831-1856

2011 Plots

Figures 1-32: Temporal plots of temperature by Site ID

Figure 1: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 2: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 3: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 4: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 5: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 6: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 7: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 8: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.








Figure 9: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.













Date (mm/dd/yy)












Figure 19: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 20: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 21: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 22: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 23: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 24: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 25: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 26: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 27: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 28: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 29: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.






Figure 30: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.





Date (mm/dd/yy)

10/18/11

11/27/11

07/30/11

05/11/11

Figure 32: Grab sample temperature as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011. 30 Temp (°C) 20 10 0 05/11/11 06/20/11 07/30/11 09/08/11 10/18/11 11/27/11 Date (mm/dd/yy)

Figures 33-64: Temporal plots of specific conductance as measured with the sonde by Site ID

Figure 33: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 34: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 35: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 36: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 37: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 38: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 39: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 40: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 41: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 42: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 43: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 44: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 45: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 46: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 47: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.




Figure 48: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 36 Del Puerto Creek. Data collected in 2011. Sp Cond (mS/cm) 0.8 0.6 0.4

0.2 0

05/11/11

06/20/11

Figure 49: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.


07/30/11

09/08/11

Date (mm/dd/yy)

10/18/11

11/27/11






Figure 51: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 52: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 53: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 54: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 55: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 56: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 57: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 58: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 59: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 60: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 61: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 62: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 63: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.






Figure 64: Grab sample specific conductance as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 65-96: Temporal plots of Total Dissolved Solids (TDS) by Site ID






Figure 66: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 67: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 68: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 69: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 70: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 71: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 72: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 73: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 74: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 75: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 76: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 77: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 78: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.






Figure 79: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.








Figure 81: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.




Figure 82: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 57 Ramona Lake. Data collected in 2011.




Figure 83: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 84: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 85: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 86: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 87: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 88: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 89: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 90: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 91: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 92: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 93: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 94: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 95: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.






Figure 96: Grab sample Total Dissolved Solids (TDS) as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 97-128: Temporal plots of Dissolved Oxygen (DO) percentage of saturation as determined by sonde measurements by Site ID






Figure 98: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.






Figure 99: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.









Figure 101: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.








Figure 103: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 104: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.






Figure 105: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.













Figure 107: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.














Figure 112: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 113: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.




Figure 114: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 57 Ramona Lake. Data collected in 2011.




Figure 115: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 116: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 117: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 118: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 119: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 120: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 121: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 122: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 123: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 124: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 125: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 126: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 127: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.






Figure 128: Grab sample Dissolved Oxygen (DO) percentage as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 129-160: Temporal plots of Dissolved Oxygen (DO) concentration as determined by sonde measurements by Site ID






Figure 130: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 131: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 132: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 133: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 134: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 135: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 136: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 137: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 138: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 139: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 140: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 141: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 142: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 143: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.




Figure 144: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 145: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.




Figure 146: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 57 Ramona Lake. Data collected in 2011.




Figure 147: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 148: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 149: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 150: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 151: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 152: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 153: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 154: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 155: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 156: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 157: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 158: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 159: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.





Figure 160: Grab sample Dissolved Oxygen (DO) concentration as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 161-192: Temporal plots of pH by Site ID

Figure 161: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 162: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 163: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 164: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 165: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 166: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 167: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 168: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 169: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 170: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 171: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 172: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 173: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 174: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.







Figure 175: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.










Figure 179: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 180: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 181: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 182: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 183: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 184: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 185: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 186: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 187: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 188: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 189: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.






Figure 190: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.











Figure 192: Grab sample pH as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.




Figures 193-224: Temporal plots of turbidity as determined by sonde measurements by Site ID












Figure 196: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 197: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.







Figure 198: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.










Figure 202: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 203: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 204: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 205: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 206: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.







Figure 207: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.










Figure 211: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 212: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 213: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 214: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 215: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 216: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 217: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 218: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 219: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 220: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 221: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 222: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 223: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.





Figure 224: Grab sample turbidity as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 225-256: Temporal plots of phycocyanin Blue-Green Algae (BGA) concentration by Site ID

Figure 225: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 226: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 227: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 228: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 229: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 230: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 231: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 232: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 233: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 234: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 235: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 236: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 237: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 238: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 239: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.




Figure 240: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 241: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.




Figure 242: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 57 Ramona Lake. Data collected in 2011.




Figure 243: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 244: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 245: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 246: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 247: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 248: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 249: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 250: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 251: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 252: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 253: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 254: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 255: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.





Figure 256: Grab sample phycocyanin Blue-Green Algae (BGA) concentration as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 257-288: Temporal plots of phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) by Site ID

Figure 257: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 258: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 259: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 260: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2011.




Figure 261: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 262: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2011.




Figure 263: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 264: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 265: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2011.




Figure 266: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 267: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 268: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 269: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units. Data collected in 2011. (RFU) as measured with a YSI 6600V2 data sonde for Site 25 Miller Lake at Stanislaus River




Figure 270: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 271: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2011.




Figure 272: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 273: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2011.




Figure 274: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 57 Ramona Lake. Data collected in 2011.




Figure 275: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 276: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 277: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2011.




Figure 278: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 279: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 280: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 281: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 282: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 283: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2011.




Figure 284: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2011.




Figure 285: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 286: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 287: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.








Figure 288: Grab sample phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) as measured with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2011.





Figures 289-320: Temporal plots of total alkalinity by Site ID



















































Figure 307: Total alkalinity in milligrams CaCO₃ per liter for Site 127 SJR at Brant Bridge. Data collected in 2011.

| 100 | 80 | 60 | 40 | 20 | 05/11/11 | 06/20/11 | 07/30/11 | 09/08/11 | 10/18/11 | 11/27/11 |
| Date (mm/dd/yy)






Figure 310: Total alkalinity in milligrams CaCO₃ per liter for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 311: Total alkalinity in milligrams CaCO₃ per liter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 312: Total alkalinity in milligrams CaCO₃ per liter for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 313: Total alkalinity in milligrams CaCO₃ per liter for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 314: Total alkalinity in milligrams CaCO₃ per liter for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 315: Total alkalinity in milligrams CaCO₃ per liter for Site 424 14mi Slough. Data collected in 2011.




Figure 316: Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.


| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.

| Total alkalinity in milligrams CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011.






Figure 319: Total alkalinity in milligrams CaCO₃ per liter for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.





Figure 320: Total alkalinity in milligrams CaCO₃ per liter for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 321-352: Temporal plots of phenolphthalein alkalinity by Site ID






Figure 322: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 4 SJR at Mossdale. Data collected in 2011.







Figure 323: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 5 SJR at McCune Station. Data collected in 2011.














Figure 327: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.

Date (mm/dd/yy)















Figure 333: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.


The stanislaus River of the stani


Date (mm/dd/yy)




















Figure 342: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 343: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 344: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 345: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 346: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 347: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 424 14mi Slough. Data collected in 2011.




Figure 348: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 425 Turner Cut. Data collected in 2011. 12 8




Figure 349: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.








Figure 350: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 427 RM 39 Near Louis Park. Data collected in 2011.











Figures 353-384: Temporal plots of Total Organic Carbon (TOC) by Site ID




































































Figure 377: Total Organic Carbon (TOC) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.









Figure 378: Total Organic Carbon (TOC) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.






















Figures 385-416: Temporal plots of Dissolved Organic Carbon (DOC) by Site ID






















































































Figure 415: Dissolved Organic Carbon (DOC) for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.

12

8

0

05/11/11

06/20/11


07/30/11

09/08/11


10/18/11


11/27/11


Date (mm/dd/yy)





Figures 417-448: Temporal plots of Inorganic Carbon (IC) by Site ID

































































































Figures 449-480: Temporal plots of Total Suspended Solids (TSS) by Site ID




































































Figure 473: Total Suspended Solids (TSS) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.









Figure 474: Total Suspended Solids (TSS) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.






















Figures 481-512: Temporal plots of Mineral Suspended Solids (MSS) by Site ID






























































































Figures 513-544: Temporal plots of Volatile Suspended Solids (VSS) by Site ID



















































Figure 531: Volatile Suspended Solids (VSS) for Site 127 SJR at Brant Bridge. Data collected in 2011.

25
20
15
10
5
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11

Date (mm/dd/yy)






Figure 534: Volatile Suspended Solids (VSS) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.

25
20
15
10
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11

Date (mm/dd/yy)

Figure 535: Volatile Suspended Solids (VSS) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.

25
20
15
10
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11

Date (mm/dd/yy)




Figure 537: Volatile Suspended Solids (VSS) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.









Figure 538: Volatile Suspended Solids (VSS) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.

















Figures 545-576: Temporal plots of dissolved nitrate-N by Site ID

Figure 545: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 546: Soluble nitrogen (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 4 SJR at Mossdale. Data collected in 2011.




Figure 547: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 548: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 7 SJR at Patterson. Data collected in 2011.




Figure 549: Soluble nitrogen (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 550: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 11 French Camp Slough. Data collected in 2011.




Figure 551: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 552: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 553: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 16 Merced River at River Road. Data collected in 2011.




Figure 554: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 555: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 556: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 557: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 558: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.







Figure 559: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 34 Ingram Creek. Data collected in 2011.










Figure 563: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 564: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 565: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 405 Calaveras River. Data collected in 2011.




Figure 566: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 567: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 568: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 569: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 570: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 571: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 424 14mi Slough. Data collected in 2011.




Figure 572: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 425 Turner Cut. Data collected in 2011.




Figure 573: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 574: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 575: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.








Figure 576: Soluble nitrate-N (Soluble N) as the sum of nitrate (NO3-) and nitrite (NO2-) for Site 433 Paradise Marina (Node 70). Data collected in 2011.





Figures 577-608: Temporal plots of ammonia-N by Site ID

































































































Figures 609-640: Temporal plots of total nitrogen by Site ID
































































































Figures 641-672: Temporal plots of dissolved phosphate as filtered in the lab by Site ID





Date (mm/dd/yy)















































Figure 659: Dissolved phosphate as filtered in the lab for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 660: Dissolved phosphate as filtered in the lab for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 661: Dissolved phosphate as filtered in the lab for Site 405 Calaveras River. Data collected in 2011.




Figure 662: Dissolved phosphate as filtered in the lab for Site 406 RM 35.8 Light 38 DWSC.

Data collected in 2011.

07/30/11

09/08/11

Date (mm/dd/yy)

10/18/11

11/27/11

05/11/11

06/20/11

Figure 663: Dissolved phosphate as filtered in the lab for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011. Phosphate (mg/L) 0.2 0.16 0.12 0.08 0.04 0 06/20/11 05/11/11 07/30/11 09/08/11 10/18/11 11/27/11 Date (mm/dd/yy)




Figure 665: Dissolved phosphate as filtered in the lab for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 666: Dissolved phosphate as filtered in the lab for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.







Figure 667: Dissolved phosphate as filtered in the lab for Site 424 14mi Slough. Data collected in 2011.










Figure 671: Dissolved phosphate as filtered in the lab for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.








Figure 672: Dissolved phosphate as filtered in the lab for Site 433 Paradise Marina (Node 70). Data collected in 2011.





Figures 673-704: Temporal plots of total phosphorus as phosphate by Site ID
































































Date (mm/dd/yy)




























Figures 705-736: Temporal plots of Biological Oxygen Demand (BOD) by Site ID




















Figure 714: Biochemical Oxygen Demand (BOD) for Site 18 Mud Slough near Gustine. Data collected in 2011.


20
16
12
8
4
0
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11


Date (mm/dd/yy)

















Figure 723: Biochemical Oxygen Demand (BOD) for Site 127 SJR at Brant Bridge. Data collected in 2011.

10
8
6
4
2
0
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11

Date (mm/dd/yy)










Figure 729: Biochemical Oxygen Demand (BOD) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 730: Biochemical Oxygen Demand (BOD) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.






Figure 731: Biochemical Oxygen Demand (BOD) for Site 424 14mi Slough. Data collected in 2011.










Figure 735: Biochemical Oxygen Demand (BOD) for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.


10
8
6
4
2
0
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11


Date (mm/dd/yy)





Figures 737-768: Temporal plots of Carbonaceous Biochemical Oxygen Demand (CBOD) by Site ID













































Figure 755: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 127 SJR at Brant Bridge. Data collected in 2011.

Date (mm/dd/yy)






Figure 758: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 759: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 760: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 761: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 762: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 763: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 424 14mi Slough. Data collected in 2011.




Figure 764: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 425 Turner Cut. Data collected in 2011.




Figure 765: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.








Figure 766: Carbonaceous Biochemical Oxygen Demand (CBOD) for Site 427 RM 39 Near Louis Park. Data collected in 2011.








Figures 769-800: Temporal plots of Nitrogenous Biochemical Oxygen Demand (NBOD) by Site ID











Figure 772: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 7 SJR at Patterson. Data collected in 2011.


2 1.6 1.2 0.8 0.4 0 0.4 0 05/11/11 06/20/11 07/30/11 09/08/11 10/18/11 11/27/11


Date (mm/dd/yy)
































Figure 787: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 127 SJR at Brant Bridge. Data collected in 2011. NBOD (mg/L) 1.6 1.2 0.8

0.4 0

05/11/11

06/20/11

Figure 788: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 402 Light 18 (Node 96). Data collected in 2011.


07/30/11

09/08/11

Date (mm/dd/yy)

10/18/11

11/27/11






Figure 790: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 791: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 792: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 793: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 794: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 795: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 424 14mi Slough. Data collected in 2011.




Figure 796: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 425 Turner Cut. Data collected in 2011.




Figure 797: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 798: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 427 RM 39 Near Louis Park. Data collected in 2011.






Figure 799: Nitrogenous Biochemical Oxygen Demand (NBOD) for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.


2
1.6
1.2
0.8
0.4
0
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11


Date (mm/dd/yy)





Figures 801-832: Temporal plots of chlorophyll a (Chl-a) as determined by standard methods by Site ID















Figure 807: Chlorophyll a (Chl-a) as determined by standard methods for Site 12 Stanislaus River at Caswell Park. Data collected in 2011. 100 Chl-a (ug/L) 80 60 40 20 0 05/11/11 06/20/11 07/30/11 09/08/11 10/18/11 11/27/11 Date (mm/dd/yy)






Figure 810: Chlorophyll a (Chl-a) as determined by standard methods for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 811: Chlorophyll a (Chl-a) as determined by standard methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 812: Chlorophyll a (Chl-a) as determined by standard methods for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 813: Chlorophyll a (Chl-a) as determined by standard methods for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 814: Chlorophyll a (Chl-a) as determined by standard methods for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.







Figure 815: Chlorophyll a (Chl-a) as determined by standard methods for Site 34 Ingram Creek. Data collected in 2011.










Figure 819: Chlorophyll a (Chl-a) as determined by standard methods for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 820: Chlorophyll a (Chl-a) as determined by standard methods for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 821: Chlorophyll a (Chl-a) as determined by standard methods for Site 405 Calaveras River. Data collected in 2011.




Figure 822: Chlorophyll a (Chl-a) as determined by standard methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 823: Chlorophyll a (Chl-a) as determined by standard methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 824: Chlorophyll a (Chl-a) as determined by standard methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 825: Chlorophyll a (Chl-a) as determined by standard methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 826: Chlorophyll a (Chl-a) as determined by standard methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 827: Chlorophyll a (Chl-a) as determined by standard methods for Site 424 14mi Slough. Data collected in 2011.




Figure 828: Chlorophyll a (Chl-a) as determined by standard methods for Site 425 Turner Cut. Data collected in 2011.




Figure 829: Chlorophyll a (Chl-a) as determined by standard methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 830: Chlorophyll a (Chl-a) as determined by standard methods for Site 427 RM 39 Near Louis Park. Data collected in 2011.







Figure 831: Chlorophyll a (Chl-a) as determined by standard methods for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011. 100 Chl-a (ug/L) 80 60 40 20 0 10/18/11 11/27/11 05/11/11 06/20/11 07/30/11 09/08/11 Date (mm/dd/yy)



Figures 833-864: Temporal plots of chlorophyll a (Chl-a) as determined by trichromatic methods by Site ID








Figure 836: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 7 SJR at Patterson. Data collected in 2011.




Figure 837: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 838: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 11 French Camp Slough. Data collected in 2011.




Figure 839: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 840: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 841: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 16 Merced River at River Road. Data collected in 2011.




Figure 842: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 843: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 844: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 845: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 846: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.







Figure 847: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 34 Ingram Creek. Data collected in 2011.










Figure 851: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 852: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 853: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 405 Calaveras River. Data collected in 2011.




Figure 854: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 855: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 856: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 857: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 858: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 859: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 424 14mi Slough. Data collected in 2011.




Figure 860: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 425 Turner Cut. Data collected in 2011.




Figure 861: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 862: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 427 RM 39 Near Louis Park. Data collected in 2011.





Figure 863: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.

100
80
40
20
05/11/11
06/20/11
07/30/11
09/08/11
10/18/11
11/27/11

Date (mm/dd/yy)



Figures 865-896: Temporal plots of pheophytin by Site ID

Figure 865: Pheophytin as determined by spectrophotometric methods for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 866: Pheophytin as determined by spectrophotometric methods for Site 4 SJR at Mossdale. Data collected in 2011.







Figure 867: Pheophytin as determined by spectrophotometric methods for Site 5 SJR at McCune Station. Data collected in 2011.










Figure 871: Pheophytin as determined by spectrophotometric methods for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 872: Pheophytin as determined by spectrophotometric methods for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 873: Pheophytin as determined by spectrophotometric methods for Site 16 Merced River at River Road. Data collected in 2011.




Figure 874: Pheophytin as determined by spectrophotometric methods for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 875: Pheophytin as determined by spectrophotometric methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 876: Pheophytin as determined by spectrophotometric methods for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 877: Pheophytin as determined by spectrophotometric methods for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.

09/08/11

Date (mm/dd/yy)

Date (mm/dd/yy)


10/18/11


11/27/11


07/30/11

06/20/11

05/11/11










Figure 883: Pheophytin as determined by spectrophotometric methods for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 884: Pheophytin as determined by spectrophotometric methods for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 885: Pheophytin as determined by spectrophotometric methods for Site 405 Calaveras River. Data collected in 2011.




Figure 886: Pheophytin as determined by spectrophotometric methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 887: Pheophytin as determined by spectrophotometric methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 888: Pheophytin as determined by spectrophotometric methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 889: Pheophytin as determined by spectrophotometric methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.





Figure 890: Pheophytin as determined by spectrophotometric methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.






Figure 892: Pheophytin as determined by spectrophotometric methods for Site 425 Turner Cut. Data collected in 2011.




Figure 893: Pheophytin as determined by spectrophotometric methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 894: Pheophytin as determined by spectrophotometric methods for Site 427 RM 39 Near Louis Park




Figure 895: Pheophytin as determined by spectrophotometric methods for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.





Figure 896: Pheophytin as determined by spectrophotometric methods for Site 433 Paradise Marina (Node 70). Data collected in 2011.



Figures 897-928: Temporal plots of algal pigments by Site ID

Figure 897: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 2 SJR at Dos Reis Park. Data collected in 2011.




Figure 898: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 4 SJR at Mossdale. Data collected in 2011. Data collected in 2011.




Figure 899: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 5 SJR at McCune Station. Data collected in 2011.




Figure 900: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 7 SJR at Patterson. Data collected in 2011.




Figure 901: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 902: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 11 French Camp Slough. Data collected in 2011.




Figure 903: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 904: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 905: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 16 Merced River at River Road. Data collected in 2011.




Figure 906: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 907: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 908: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 909: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 910: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 911: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 34 Ingram Creek. Data collected in 2011.




Figure 912: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 913: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 44 San Luis Drain End. Data collected in 2011.




Figure 914: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 57 Ramona Lake. Data collected in 2011.




Figure 915: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 916: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 917: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 405 Calaveras River. Data collected in 2011.




Figure 918: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 919: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 920: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 921: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 922: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 923: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 424 14mi Slough. Data collected in 2011.




Figure 924: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 425 Turner Cut. Data collected in 2011.




Figure 925: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 926: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 927: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.








Figure 928: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 433 Paradise Marina (Node 70). Data collected in 2011.





Figures 929-960: Temporal plots of dissolved silica by Site ID




























































































Figures 961-992: Temporal plots of Specific Ultraviolet Absorbance (SUVA) by Site ID

Figure 961: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 2 SJR at Dos Reis Park. Data collected in 2011.






Figure 962: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 4 SJR at Mossdale. Data collected in 2011.








Figure 964: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 7 SJR at Patterson. Data collected in 2011.




Figure 965: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 10 SJR at Lander Avenue. Data collected in 2011.




Figure 966: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 11 French Camp Slough. Data collected in 2011.




Figure 967: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 12 Stanislaus River at Caswell Park. Data collected in 2011.




Figure 968: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 14 Tuolumne River at Shiloh. Data collected in 2011.




Figure 969: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 16 Merced River at River Road. Data collected in 2011.




Figure 970: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 18 Mud Slough near Gustine. Data collected in 2011.




Figure 971: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 19 Salt Slough at Lander Avenue. Data collected in 2011.




Figure 972: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 21 Orestimba Creek at River Road. Data collected in 2011.




Figure 973: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 25 Miller Lake at Stanislaus River. Data collected in 2011.




Figure 974: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 29 Harding Drain at Carpenter Road. Data collected in 2011.




Figure 975: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 34 Ingram Creek. Data collected in 2011.




Figure 976: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 36 Del Puerto Creek. Data collected in 2011.




Figure 977: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 44 San Luis Drain End. Data collected in 2011.




Figure 978: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 57 Ramona Lake. Data collected in 2011.




Figure 979: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 127 SJR at Brant Bridge. Data collected in 2011.




Figure 980: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 402 Light 18 (Node 96). Data collected in 2011.




Figure 981: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 405 Calaveras River. Data collected in 2011.




Figure 982: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2011.




Figure 983: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2011.




Figure 984: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 413 Smith Canal at Yosemite Lake. Data collected in 2011.




Figure 985: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 420 Mosher Slough at Mariners Dr. Data collected in 2011.




Figure 986: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2011.




Figure 987: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 424 14mi Slough. Data collected in 2011.




Figure 988: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 425 Turner Cut. Data collected in 2011.




Figure 989: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2011.




Figure 990: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 427 RM 39 Near Louis Park. Data collected in 2011.




Figure 991: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2011.








Figure 992: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 433 Paradise Marina (Node 70). Data collected in 2011.





Figures 993-1024: Temporal plots of chloride by Site ID
































































































2012 Plots


Figures 1025-1050: Temporal plots of temperature by Site ID














Figure 1031: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1032: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.









Figure 1033: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.


























Figure 1043: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1044: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.









Figure 1045: Grab sample temperature taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.
















Figures 1051-1076: Temporal plots of specific conductance as measured with the sonde by Site ID








Figure 1054: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1055: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.






Figure 1056: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.








Figure 1058: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.






Figure 1059: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.








Figure 1061: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.






Figure 1062: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.








Figure 1064: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.






Figure 1065: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.








Figure 1067: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1068: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1069: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1070: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.






Figure 1071: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.








Figure 1073: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.






Figure 1074: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.









Figure 1076: Grab sample specific conductance taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1077-1102: Temporal plots of Total Dissolved Solids (TDS) by Site ID

Figure 1077: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1078: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2012.






Figure 1079: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2012.








Figure 1081: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.




Figure 1082: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1083: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1084: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.






Figure 1085: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.








Figure 1087: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.





Figure 1088: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.








Figure 1090: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.






Figure 1091: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.








Figure 1093: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.






Figure 1094: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.








Figure 1096: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.






Figure 1097: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.








Figure 1099: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1100: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1101: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1102: Grab sample total dissolved solids (TDS) taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1103-1128: Temporal plots of Dissolved Oxygen (DO) percentage of saturation as determined by sonde measurements by Site ID






Figure 1104: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2012.




Figure 1105: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2012.




Figure 1106: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1107: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.






Figure 1108: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.








Figure 1110: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1111: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1112: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1113: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.




Figure 1114: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1115: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1116: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1117: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.




Figure 1118: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1119: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1120: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1121: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1122: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1123: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.




Figure 1124: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2012.




Figure 1125: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1126: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1127: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1128: Grab sample dissolved oxygen (DO) percentage taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1129-1154: Temporal plots of Dissolved Oxygen (DO) concentration as determined by sonde measurements by Site ID

Figure 1129: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1130: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2012.




Figure 1131: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2012.




Figure 1132: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1133: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.




Figure 1134: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1135: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1136: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1137: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1138: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1139: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.




Figure 1140: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1141: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1142: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1143: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.




Figure 1144: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012. Data collected in 2012.




Figure 1145: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1146: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1147: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1148: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1149: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.




Figure 1150: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2012.




Figure 1151: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1152: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1153: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.






Figure 1154: Grab sample dissolved oxygen (DO) concentration taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1155-1180: Temporal plots of pH by Site ID

05/05/12

06/14/12



09/02/12


Date (mm/dd/yy)


10/12/12


11/21/12


12/31/12


07/24/12












































Figure 1171: Grab sample pH taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.









Figure 1172: Grab sample pH taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.

























Figures 1181-1206: Temporal plots of turbidity as determined by sonde measurements by Site ID








Figure 1184: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1185: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.




Figure 1186: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1187: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1188: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.






Figure 1189: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.








Figure 1191: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.




Figure 1192: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1193: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1194: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.






Figure 1195: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.








Figure 1197: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1198: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1199: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1200: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1201: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.




Figure 1202: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2012.




Figure 1203: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.






Figure 1204: Grab sample turbidity taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.





07/24/12

09/02/12

Date (mm/dd/yy)

Date (mm/dd/yy)


10/12/12

11/21/12

12/31/12

05/05/12

06/14/12



Figures 1207-1232: Temporal plots of phycocyanin Blue-Green Algae (BGA) concentration by Site ID

Figure 1207: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2012.






Figure 1208: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2012.








Figure 1210: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1211: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.




Figure 1212: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1213: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1214: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1215: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1216: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1217: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.




Figure 1218: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1219: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1220: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1221: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.




Figure 1222: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1223: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1224: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1225: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1226: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1227: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.




Figure 1228: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2012.




Figure 1229: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1230: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1231: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1232: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1233-1258: Temporal plots of phycocyanin Blue-Green Algae (BGA) in Relative Fluorescence Units (RFU) by Site ID

Figure 1233: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1234: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 4 SJR at Mossdale. Data collected in 2012.




Figure 1235: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 7 SJR at Patterson. Data collected in 2012.




Figure 1236: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1237: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 11 French Camp Slough. Data collected in 2012.




Figure 1238: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1239: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1240: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1241: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1242: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1243: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 34 Ingram Creek. Data collected in 2012.




Figure 1244: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1245: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1246: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1247: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 405 Calaveras River. Data collected in 2012.




Figure 1248: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1249: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1250: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1251: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1252: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1253: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 424 14mi Slough. Data collected in 2012.




Figure 1254: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 425 Turner Cut. Data collected in 2012.




Figure 1255: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1256: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1257: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1258: Grab sample phycocyanin blue-green algae (BGA) taken with a YSI 6600V2 data sonde for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1259-1284: Temporal plots of total alkalinity by Site ID

Figure 1259: Total alkalinity in milligrams CaCO₃ per liter for Site 2 SJR at Dos Reis Park. Data collected in 2012.









Figure 1260: Total alkalinity in milligrams CaCO₃ per liter for Site 4 SJR at Mossdale. Data collected in 2012.























Figure 1268: Total alkalinity in milligrams CaCO₃ per liter for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.

07/24/12

09/02/12

Date (mm/dd/yy)


10/12/12

11/21/12

12/31/12

05/05/12

06/14/12







Figure 1271: Total alkalinity in milligrams CaCO₃ per liter for Site 127 SJR at Brant Bridge. Data collected in 2012.

| Total alkalinity in milligrams CaCO₃ per liter for Site 127 SJR at Brant Bridge. Data collected in 2012.

| Total alkalinity in milligrams CaCO₃ per liter for Site 127 SJR at Brant Bridge. Data collected in 2012.

Date (mm/dd/yy)






Figure 1274: Total alkalinity in milligrams CaCO₃ per liter for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1275: Total alkalinity in milligrams CaCO₃ per liter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1276: Total alkalinity in milligrams CaCO₃ per liter for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1277: Total alkalinity in milligrams CaCO₃ per liter for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1278: Total alkalinity in milligrams CaCO₃ per liter for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.







Figure 1279: Total alkalinity in milligrams CaCO₃ per liter for Site 424 14mi Slough. Data collected in 2012.










Figure 1283: Total alkalinity in milligrams CaCO₃ per liter for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1284: Total alkalinity in milligrams CaCO₃ per liter for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1285-1310: Temporal plots of phenolphthalein alkalinity by Site ID

Figure 1285: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1286: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 4 SJR at Mossdale. Data collected in 2012.







Figure 1287: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 7 SJR at Patterson. Data collected in 2012.










Figure 1291: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1292: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.









Figure 1293: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 21 Orestimba Creek at River Road. Data collected in 2012.




















07/24/12

09/02/12

Date (mm/dd/yy)

10/12/12

11/21/12

12/31/12

05/05/12

06/14/12

Figure 1301: Phenolphthalein alkalinity in milligram CaCO₃ per liter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.

July 1

O5/05/12

O6/14/12


O7/24/12


O9/02/12


O9/02/12


O1/12/12


Date (mm/dd/yy)




























Figures 1311-1336: Temporal plots of Total Organic Carbon (TOC) by Site ID












































































Figures 1337-1362: Temporal plots of Dissolved Organic Carbon (DOC) by Site ID










































Figure 1352: Dissolved Organic Carbon (DOC) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.

| Signature | 1352: Dissolved Organic Carbon (DOC) | 135.8 Light 38 DWSC. Data collected in 2012.

Date (mm/dd/yy)









Figure 1355: Dissolved Organic Carbon (DOC) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.


10
8
9
05/05/12
06/14/12
07/24/12
09/02/12
10/12/12
11/21/12
12/31/12


Date (mm/dd/yy)






















Figures 1363-1388: Temporal plots of Inorganic Carbon (IC) by Site ID















































































Figures 1389-1414: Temporal plots of Total Suspended Solids (TSS) by Site ID












































































Figures 1415-1440: Temporal plots of Mineral Suspended Solids (MSS) by Site ID




















































Figure 1433: Mineral Suspended Solids for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012. Mineral Solids (mg/L) 25 20 15 10 5 0 05/05/12 06/14/12 07/24/12 09/02/12 10/12/12 11/21/12 12/31/12 Date (mm/dd/yy)






















Figures 1441-1466: Temporal plots of Volatile Suspended Solids (VSS) by Site ID











































Figure 1456: Volatile Suspended Solids (VSS) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012. 2.5 VSS (mg/L) 2 1.5 0.5 0 05/05/12 06/14/12 07/24/12 09/02/12 10/12/12 11/21/12 12/31/12 Date (mm/dd/yy)


























Figures 1467-1492: Temporal plots of dissolved nitrate-N by Site ID

Figure 1467: Soluble nitrate (NO₃) and nitrite (NO₂) (Soluble N) for Site 2 SJR at Dos Reis Park. Data collected in 2012.









Figure 1468: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 4 SJR at Mossdale. Data collected in 2012.























Figure 1476: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1477: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 34 Ingram Creek. Data collected in 2012.







Figure 1478: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 44 San Luis Drain End. Data collected in 2012.










Figure 1482: Soluble nitrate (NO₃) and nitrite (NO₂) (Soluble N) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1483: Soluble nitrate (NO₃) and nitrite (NO₂) (Soluble N) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1484: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1485: Soluble nitrate (NO₃⁻) and nitrite (NO₂⁻) (Soluble N) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1486: Soluble nitrate (NO₃) and nitrite (NO₂) (Soluble N) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.









Figure 1487: Soluble nitrate (NO_3^-) and nitrite (NO_2^-) (Soluble N) for Site 424 14mi Slough. Data collected in 2012.



















Figures 1493-1518: Temporal plots of ammonia-N by Site ID















































































Figures 1519-1544: Temporal plots of total nitrogen by Site ID













































































Figures 1545-1570: Temporal plots of dissolved phosphate as filtered in the lab by Site ID












Figure 1549: Dissolved phosphate as filtered in the lab for Site 11 French Camp Slough. Data collected in 2012.








Figure 1551: Dissolved phosphate as filtered in the lab for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1552: Dissolved phosphate as filtered in the lab for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1553: Dissolved phosphate as filtered in the lab for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1554: Dissolved phosphate as filtered in the lab for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1555: Dissolved phosphate as filtered in the lab for Site 34 Ingram Creek. Data collected in 2012.




Figure 1556: Dissolved phosphate as filtered in the lab for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1557: Dissolved phosphate as filtered in the lab for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1558: Dissolved phosphate as filtered in the lab for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1559: Dissolved phosphate as filtered in the lab for Site 405 Calaveras River. Data collected in 2012.




Figure 1560: Dissolved phosphate as filtered in the lab for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1561: Dissolved phosphate as filtered in the lab for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1562: Dissolved phosphate as filtered in the lab for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1563: Dissolved phosphate as filtered in the lab for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1564: Dissolved phosphate as filtered in the lab for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.







Figure 1565: Dissolved phosphate as filtered in the lab for Site 424 14mi Slough. Data collected in 2012.










Figure 1569: Dissolved phosphate as filtered in the lab for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012. 0.4 0.3








Figure 1570: Dissolved phosphate as filtered in the lab for Site 433 Paradise Marina (Node 70). Data collected in 2012.





Figures 1571-1596: Temporal plots of total phosphorus as phosphate by Site ID












































































Figures 1597-1622: Temporal plots of Biological Oxygen Demand (BOD) by Site ID


Figure 1597: Biological Oxygen Demand (BOD) for Site 2 SJR at Dos Reis Park. Data collected in 2012.


8
6
2
0
05/05/12
06/14/12
07/24/12
09/02/12
10/12/12
11/21/12
12/31/12


Date (mm/dd/yy)











































Date (mm/dd/yy)
























Figures 1623-1648: Temporal plots of Carbonaceous Biochemical Oxygen Demand (CBOD) by Site ID

Figure 1623: Carbonaceous biochemical oxygen demand (CBOD) for Site 2 SJR at Dos Reis Park. Data collected in 2012.

| Oscility | O






Figure 1626: Carbonaceous biochemical oxygen demand (CBOD) for Site 10 SJR at Lander Avenue. Data collected in 2012. CBOD (mg/L) 20 15 10

5

05/05/12

06/14/12

Figure 1627: Carbonaceous biochemical oxygen demand (CBOD) for Site 11 French Camp Slough. Data collected in 2012.

07/24/12


09/02/12


Date (mm/dd/yy)


10/12/12

11/21/12

12/31/12










Figure 1630: Carbonaceous biochemical oxygen demand (CBOD) for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1631: Carbonaceous biochemical oxygen demand (CBOD) for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1632: Carbonaceous biochemical oxygen demand (CBOD) for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1633: Carbonaceous biochemical oxygen demand (CBOD) for Site 34 Ingram Creek. Data collected in 2012.




Figure 1634: Carbonaceous biochemical oxygen demand (CBOD) for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1635: Carbonaceous biochemical oxygen demand (CBOD) for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1636: Carbonaceous biochemical oxygen demand (CBOD) for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1637: Carbonaceous biochemical oxygen demand (CBOD) for Site 405 Calaveras River. Data collected in 2012.




Figure 1638: Carbonaceous biochemical oxygen demand (CBOD) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1639: Carbonaceous biochemical oxygen demand (CBOD) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1640: Carbonaceous biochemical oxygen demand (CBOD) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.





Figure 1641: Carbonaceous biochemical oxygen demand (CBOD) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.

Date (mm/dd/yy)






Figure 1644: Carbonaceous biochemical oxygen demand (CBOD) for Site 425 Turner Cut. Data collected in 2012.




Figure 1645: Carbonaceous biochemical oxygen demand (CBOD) for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.








Figure 1646: Carbonaceous biochemical oxygen demand (CBOD) for Site 427 RM 39 Near Louis Park. Data collected in 2012.








Figures 1649-1674: Temporal plots of Nitrogenous Biochemical Oxygen Demand (NBOD) by Site ID









Figure 1652: Nitrogenous biochemical oxygen demand (NBOD) for Site 10 SJR at Lander Avenue. Data collected in 2012.

Date (mm/dd/yy)






Figure 1655: Nitrogenous biochemical oxygen demand (NBOD) for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1656: Nitrogenous biochemical oxygen demand (NBOD) for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1657: Nitrogenous biochemical oxygen demand (NBOD) for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1658: Nitrogenous biochemical oxygen demand (NBOD) for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.

07/24/12

09/02/12

Date (mm/dd/yy)


10/12/12

11/21/12

12/31/12

05/05/12

06/14/12






Figure 1661: Nitrogenous biochemical oxygen demand (NBOD) for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1662: Nitrogenous biochemical oxygen demand (NBOD) for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1663: Nitrogenous biochemical oxygen demand (NBOD) for Site 405 Calaveras River. Data collected in 2012.




Figure 1664: Nitrogenous biochemical oxygen demand (NBOD) for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1665: Nitrogenous biochemical oxygen demand (NBOD) for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1666: Nitrogenous biochemical oxygen demand (NBOD) for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1667: Nitrogenous biochemical oxygen demand (NBOD) for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1668: Nitrogenous biochemical oxygen demand (NBOD) for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.






Figure 1669: Nitrogenous biochemical oxygen demand (NBOD) for Site 424 14mi Slough. Data collected in 2012.








Figure 1671: Nitrogenous biochemical oxygen demand (NBOD) for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.







Figure 1672: Nitrogenous biochemical oxygen demand (NBOD) for Site 427 RM 39 Near Louis Park. Data collected in 2012.







Figures 1675-1700: Temporal plots of chlorophyll a (Chl-a) as determined by standard methods by Site ID

Figure 1675: Chlorophyll a (Chl-a) as determined by standard methods for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1676: Chlorophyll a (Chl-a) as determined by standard methods for Site 4 SJR at Mossdale. Data collected in 2012.







Figure 1677: Chlorophyll a (Chl-a) as determined by standard methods for Site 7 SJR at Patterson. Data collected in 2012.










Figure 1681: Chlorophyll a (Chl-a) as determined by standard methods for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1682: Chlorophyll a (Chl-a) as determined by standard methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1683: Chlorophyll a (Chl-a) as determined by standard methods for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1684: Chlorophyll a (Chl-a) as determined by standard methods for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1685: Chlorophyll a (Chl-a) as determined by standard methods for Site 34 Ingram Creek. Data collected in 2012.







Figure 1686: Chlorophyll a (Chl-a) as determined by standard methods for Site 44 San Luis Drain End. Data collected in 2012.










Figure 1690: Chlorophyll a (Chl-a) as determined by standard methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1691: Chlorophyll a (Chl-a) as determined by standard methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1692: Chlorophyll a (Chl-a) as determined by standard methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1693: Chlorophyll a (Chl-a) as determined by standard methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1694: Chlorophyll a (Chl-a) as determined by standard methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.






Figure 1695: Chlorophyll a (Chl-a) as determined by standard methods for Site 424 14mi Slough. Data collected in 2012.








Figure 1697: Chlorophyll a (Chl-a) as determined by standard methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.






Figure 1698: Chlorophyll a (Chl-a) as determined by standard methods for Site 427 RM 39 Near Louis Park. Data collected in 2012.





09/02/12

09/02/12

Date (mm/dd/yy)

Date (mm/dd/yy)

10/12/12

10/12/12

11/21/12

11/21/12

12/31/12

12/31/12


07/24/12

06/14/12

06/14/12

05/05/12

05/05/12



07/24/12

Figures 1701-1726: Temporal plots of chlorophyll a (Chl-a) as determined by trichromatic methods by Site ID

Figure 1701: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1702: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 4 SJR at Mossdale. Data collected in 2012.







Figure 1703: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 7 SJR at Patterson. Data collected in 2012.










Figure 1707: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1708: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1709: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1710: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1711: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 34 Ingram Creek. Data collected in 2012.




Figure 1712: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1713: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1714: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1715: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 405 Calaveras River. Data collected in 2012.




Figure 1716: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1717: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1718: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1719: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1720: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1721: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 424 14mi Slough. Data collected in 2012.




Figure 1722: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 425 Turner Cut. Data collected in 2012.




Figure 1723: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1724: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1725: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.

09/02/12

09/02/12

Date (mm/dd/yy)

Date (mm/dd/yy)

10/12/12

10/12/12

11/21/12

11/21/12

12/31/12

12/31/12

07/24/12

05/05/12

05/05/12

06/14/12

06/14/12

Figure 1726: Chlorophyll a (Chl-a) as determined by trichromatic methods for Site 433 Paradise Marina (Node 70). Data collected in 2012.

07/24/12

Figures 1727-1752: Temporal plots of pheophytin by Site ID. The negative values were double checked in the original data. The data was entered correctly, but the way the value is calculated from multiple wave length readings resulted in a few unrealistic values.

Figure 1727: Pheophytin as determined by spectrophotometric methods for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1728: Pheophytin as determined by spectrophotometric methods for Site 4 SJR at Mossdale. Data collected in 2012.






Figure 1729: Pheophytin as determined by spectrophotometric methods for Site 7 SJR at Patterson. Data collected in 2012.








Figure 1731: Pheophytin as determined by spectrophotometric methods for Site 11 French Camp Slough. Data collected in 2012.




Figure 1732: Pheophytin as determined by spectrophotometric methods for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1733: Pheophytin as determined by spectrophotometric methods for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1734: Pheophytin as determined by spectrophotometric methods for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1735: Pheophytin as determined by spectrophotometric methods for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1736: Pheophytin as determined by spectrophotometric methods for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1737: Pheophytin as determined by spectrophotometric methods for Site 34 Ingram Creek. Data collected in 2012.




Figure 1738: Pheophytin as determined by spectrophotometric methods for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1739: Pheophytin as determined by spectrophotometric methods for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1740: Pheophytin as determined by spectrophotometric methods for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1741: Pheophytin as determined by spectrophotometric methods for Site 405 Calaveras River. Data collected in 2012.




Figure 1742: Pheophytin as determined by spectrophotometric methods for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1743: Pheophytin as determined by spectrophotometric methods for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1744: Pheophytin as determined by spectrophotometric methods for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1745: Pheophytin as determined by spectrophotometric methods for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1746: Pheophytin as determined by spectrophotometric methods for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1747: Pheophytin as determined by spectrophotometric methods for Site 424 14mi Slough. Data collected in 2012.




Figure 1748: Pheophytin as determined by spectrophotometric methods for Site 425 Turner Cut. Data collected in 2012.




Figure 1749: Pheophytin as determined by spectrophotometric methods for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1750: Pheophytin as determined by spectrophotometric methods for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1751: Pheophytin as determined by spectrophotometric methods for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1752: Pheophytin as determined by spectrophotometric methods for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1753-1778: Temporal plots of algal pigments by Site ID

Figure 1753: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 2 SJR at Dos Reis Park. Data collected in 2012.




Figure 1754: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 4 SJR at Mossdale. Data collected in 2012.




Figure 1755: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 7 SJR at Patterson. Data collected in 2012.




Figure 1756: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 10 SJR at Lander Avenue. Data collected in 2012.




Figure 1757: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 11 French Camp Slough. Data collected in 2012.




Figure 1758: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1759: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1760: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1761: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1762: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1763: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 34 Ingram Creek. Data collected in 2012.




Figure 1764: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1765: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1766: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1767: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 405 Calaveras River. Data collected in 2012.




Figure 1768: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1769: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1770: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1771: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1772: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1773: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 424 14mi Slough. Data collected in 2012.




Figure 1774: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 425 Turner Cut. Data collected in 2012.




Figure 1775: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1776: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1777: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.








Figure 1778: Algal pigments as determined by the summation of chlorophyll a, chlorophyll b, and chlorophyll c by means of trichromatic determination for Site 433 Paradise Marina (Node 70). Data collected in 2012.





Figures 1779-1804: Temporal plots of dissolved silica by Site ID










































































Figures 1805-1830: Temporal plots of Specific Ultraviolet Absorbance (SUVA) by Site ID

Figure 1805: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 2 SJR at Dos Reis Park. Data collected in 2012.








Figure 1806: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 4 SJR at Mossdale. Data collected in 2012.












Figure 1809: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 11 French Camp Slough. Data collected in 2012.




Figure 1810: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 16 Merced River at River Road. Data collected in 2012.




Figure 1811: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 18 Mud Slough near Gustine. Data collected in 2012.




Figure 1812: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 19 Salt Slough at Lander Avenue. Data collected in 2012.




Figure 1813: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 21 Orestimba Creek at River Road. Data collected in 2012.




Figure 1814: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 29 Harding Drain at Carpenter Road. Data collected in 2012.




Figure 1815: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 34 Ingram Creek. Data collected in 2012.




Figure 1816: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 44 San Luis Drain End. Data collected in 2012.




Figure 1817: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 127 SJR at Brant Bridge. Data collected in 2012.




Figure 1818: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 402 Light 18 (Node 96). Data collected in 2012.




Figure 1819: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 405 Calaveras River. Data collected in 2012.




Figure 1820: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 406 RM 35.8 Light 38 DWSC. Data collected in 2012.




Figure 1821: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 410 Bear Creek at Trinity Bridge. Data collected in 2012.




Figure 1822: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 413 Smith Canal at Yosemite Lake. Data collected in 2012.




Figure 1823: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 420 Mosher Slough at Mariners Dr. Data collected in 2012.




Figure 1824: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbon-meter for Site 421 5 Mile Slough at Hazelwood Ave. Data collected in 2012.




Figure 1825: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 424 14mi Slough. Data collected in 2012.




Figure 1826: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 425 Turner Cut. Data collected in 2012.




Figure 1827: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 426 Turning Basin at Morelli Park Launch. Data collected in 2012.




Figure 1828: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 427 RM 39 Near Louis Park. Data collected in 2012.




Figure 1829: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 428 RM 33.2 Upstream of Acker Isl. Data collected in 2012.





Figure 1830: Specific Ultraviolet Absorbance (SUVA) measured in liters per milligram carbonmeter for Site 433 Paradise Marina (Node 70). Data collected in 2012.



Figures 1831-1856: Temporal plots of chloride by Site ID

